Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	84272	"370"/$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:04
L2	3165	"370"/$ and ((no or without) near2 buffer$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:05
L3	124	"370"/$ and (((no or without) near2 buffer$4) same (data with header$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:05
L4	39	"370"/$ and (((no or without) near2 buffer$4) same (data with header$2)) and ATM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:06
S1	104	((discard$4 or remov$3 or trash$4) with (empty or corrupt$4 or invalid$4) with (packet$2 or cell$2)) same (assembl$4 or combin$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:56
S2	11	(((discard$4 or remov$3 or trash$4) with (empty or corrupt$4 or invalid$4) with (packet$2 or cell$2)) same (assembl$4 or combin$5)) and g06f$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:53
S3	39	((discard$4 or remov$3 or trash$4) with (empty or corrupt$4 or invalid$4) with (packet$2 or cell$2) with (detect$4 or check$4)) and g06f$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:28
S4	377	ATM with empty with cell$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:28
S5	42	(ATM and empty and cell$2).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:56

S6	1358	((discard$4 or remov$3 or trash$4) with (empty or corrupt$4 or invalid$4) with (packet$2 or cell$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:57
S7	585	((discard$4 or remov$3 or trash$4) near4 (empty or corrupt$4 or invalid$4) near4 (packet$2 or cell$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:57
S8	3	((discard$4 or remov$3 or trash$4) near4 (empty or corrupt$4 or invalid$4) near4 (packet$2 or cell$2)) same ((combin$6 or assembl$5) with (frame$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:01
S9	23	(((discard$4 or remov$3 or trash$4) and (empty or corrupt$4 or invalid$4) and (packet$2 or cell$2))).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:41
S10	0	(((discard$4 or remov$3 or trash$4) and (empty or corrupt$4 or invalid$4) and (packet$2 or cell$2)) and ((combin$6 or assembl$5) and (frame$2))).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:01
S11	22809	"710"/$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:03
S12	109991	(ATM or (asynchronous adj transfer adj mode$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:03
S13	1636	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:04
S14	64596	(cell$2 or packet$2) near2 (combin$6 or assembl$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:03
S15	166	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:04

S16	682	(((cell$2 or packet$2) near2 (combin$6 or assembl$6)) same (corrupt$5 or empty or invalid$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:44
S17	6	S16 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:43
S18	41939	user adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:43
S19	1701	(((cell$2 or packet$2) with (combin$6 or assembl$6)) same (corrupt$5 or empty or invalid$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:46
S20	243	S12 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:44
S21	32574	((cell$2 or packet$2) with (empty or pad$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:48
S22	994	S12 same S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:47
S23	46463	S22 an d7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:47
S24	40	S22 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:47
S25	154	((cell$2 or packet$2) with (empty or pad$4)) same ((datagram$2 or frame$2) with (combin$6 or assembl$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:49

S26	10	(((cell$2 or packet$2) with (empty or pad$4)) same ((datagram$2 or frame$2) with (combin$6 or assembl$5))) and g06f$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:49
S27	65166	(cell$2 or packet$2) near2 (combin$6 or assembl$6 or concatenat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:03
S28	5556	((cell$2 or packet$2) near2 (combin$6 or assembl$6 or concatenat$5)) and "370"/$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:05
S29	41939	user adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:04
S30	37	((user$2 adj data) with (combin$6 or assembl$6 or concatenat$5) with (stream$4)) and "370"/$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:07
S31	45	((remov$5 or discard$4 or trash$4) with (empty adj cell$2)) and "370"/$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:04